

Table of Contents

VOLUME 110 (1999)

<i>Instructions to Authors</i>	v
<i>Editorials</i>	
Editorial	
G.G. Celesia, P.M. Rossini (USA, Italy)	1
EEG and coma: is there a prognostic role for EEG?	
G.G. Celesia (USA)	203
Is the frontal N30 component of the somatosensory evoked potentials a reliable physiological index of the dopaminergic motor pathways?	
G. Cheron (Belgium)	1698
Farewell Editorial	
G. Celesia (USA)	2001
<i>Obituaries</i>	
Herbert Henry Jasper M.D., Ph.D., 1906–1999	
C. Ajmone-Marsan (USA)	1839
Antoine Rémond, 15 January 1917–5 July 1998	
B. Renault, R. Naquet (France)	2002
<i>Invited Reviews</i>	
Emission tomography contribution to clinical neurology	
M. Iacoboni, J.-C. Baron, R.S.J. Frackowiak, J.C. Mazziotta, G.L. Lenzi (USA, France, UK, Italy)	2
Modern electroencephalography: its role in epilepsy management	
C.D. Binnie, H. Stefan (UK, Germany)	1671
Event-related EEG/MEG synchronization and desynchronization: basic principles	
G. Pfurtscheller, F.H. Lopes da Silva (Austria, The Netherlands)	1842
Neurophysiology of Parkinson's disease: from basic research to clinical correlates	
D. Centonze, P. Calabresi, P. Giacomini, G. Bernardi (Italy)	2006
<i>Original Research Articles</i>	
P3a and P3b from typical auditory and visual stimuli	
M.D. Comerchero, J. Polich (USA)	24
The dimensional complexity of the P3 event-related potential: area-specific and task-dependent features	
M. Molnár (Budapest)	31
Relationship of sleep interictal epileptiform discharges to sigma activity (12–16 Hz) in benign epilepsy of childhood with rolandic spikes	
L. Nobili, F. Ferrillo, M.G. Baglietto, M. Beelke, F. De Carli, E. De Negri, G. Schiavi, G. Rosadini, M. De Negri (Italy)	39
Functional MRI of human primary somatosensory and motor cortex during median nerve stimulation	
J. Spiegel, J. Tintera, J. Gawehn, P. Stoeter, R.-D. Treede (Germany)	47
'Oddball' event-related potentials and information processing during REM and non-REM sleep	
H. Pratt, I. Berlad, P. Lavie (Israel)	53
Auditory steady-state responses to click trains from the rat temporal cortex	
G. Conti, R. Santarelli, C. Grassi, F. Ottaviani, G.B. Azzena (Italy)	62
Visual evoked potential interhemispheric transfer time in different frequency bands	
E. Nalcaci, C. Basar-Eroglu, M. Stadler (Turkey, Germany)	71
A mixed D1 and D2 antagonist does not replay pattern electroretinogram alterations observed with a selective D2 antagonist in normal humans: relationship with Parkinson's disease pattern electroretinogram alterations	
P. Stanzione, I. Bodis-Wollner, M. Pierantozzi, R. Semprini, M. Tagliati, A. Peppe, G. Bernardi (Italy, USA)	82

Table of Contents

VOLUME 110 (1999)

<i>Instructions to Authors</i>	v
<i>Editorials</i>	
Editorial	
G.G. Celesia, P.M. Rossini (USA, Italy)	1
EEG and coma: is there a prognostic role for EEG?	
G.G. Celesia (USA)	203
Is the frontal N30 component of the somatosensory evoked potentials a reliable physiological index of the dopaminergic motor pathways?	
G. Cheron (Belgium)	1698
Farewell Editorial	
G. Celesia (USA)	2001
<i>Obituaries</i>	
Herbert Henry Jasper M.D., Ph.D., 1906–1999	
C. Ajmone-Marsan (USA)	1839
Antoine Rémond, 15 January 1917–5 July 1998	
B. Renault, R. Naquet (France)	2002
<i>Invited Reviews</i>	
Emission tomography contribution to clinical neurology	
M. Iacoboni, J.-C. Baron, R.S.J. Frackowiak, J.C. Mazziotta, G.L. Lenzi (USA, France, UK, Italy)	2
Modern electroencephalography: its role in epilepsy management	
C.D. Binnie, H. Stefan (UK, Germany)	1671
Event-related EEG/MEG synchronization and desynchronization: basic principles	
G. Pfurtscheller, F.H. Lopes da Silva (Austria, The Netherlands)	1842
Neurophysiology of Parkinson's disease: from basic research to clinical correlates	
D. Centonze, P. Calabresi, P. Giacomini, G. Bernardi (Italy)	2006
<i>Original Research Articles</i>	
P3a and P3b from typical auditory and visual stimuli	
M.D. Comerchero, J. Polich (USA)	24
The dimensional complexity of the P3 event-related potential: area-specific and task-dependent features	
M. Molnár (Budapest)	31
Relationship of sleep interictal epileptiform discharges to sigma activity (12–16 Hz) in benign epilepsy of childhood with rolandic spikes	
L. Nobili, F. Ferrillo, M.G. Baglietto, M. Beelke, F. De Carli, E. De Negri, G. Schiavi, G. Rosadini, M. De Negri (Italy)	39
Functional MRI of human primary somatosensory and motor cortex during median nerve stimulation	
J. Spiegel, J. Tintera, J. Gawehn, P. Stoeter, R.-D. Treede (Germany)	47
'Oddball' event-related potentials and information processing during REM and non-REM sleep	
H. Pratt, I. Berlad, P. Lavie (Israel)	53
Auditory steady-state responses to click trains from the rat temporal cortex	
G. Conti, R. Santarelli, C. Grassi, F. Ottaviani, G.B. Azzena (Italy)	62
Visual evoked potential interhemispheric transfer time in different frequency bands	
E. Nalcaci, C. Basar-Eroglu, M. Stadler (Turkey, Germany)	71
A mixed D1 and D2 antagonist does not replay pattern electroretinogram alterations observed with a selective D2 antagonist in normal humans: relationship with Parkinson's disease pattern electroretinogram alterations	
P. Stanzione, I. Bodis-Wollner, M. Pierantozzi, R. Semprini, M. Tagliati, A. Peppe, G. Bernardi (Italy, USA)	82

Edge detection and surface 'filling in' as shown by texture visual evoked potentials A. Romani, G. Caputo, R. Callieco, E. Schintone, V. Cosi (Italy)	86
Localization of the optic tract by using subcortical visual evoked potentials (VEPs) in cats K. Sugiyama, T. Yokoyama, T. Yamamoto, K. Uemura (Japan)	92
Visual evoked potentials in school children: A comparative study of transient and steady-state methods with pattern reversal and flash stimulation Y. Tomoda, S. Tobimatsu, A. Mitsudome (Japan)	97
Asynchronous and asymmetric burst-suppression in a patient with a corpus callosum lesion C.C. Lambrakis, M.E. Lancman, C. Romano, B.M.S. Ahluwalia, A. Fried (USA)	103
Accuracy of EEG dipole source localization using implanted sources in the human brain T. Krings, K.H. Chiappa, B. Neil Cuffin, J.I. Cochius, S. Connolly, G. Rees Cosgrove (USA)	106
Spectral modulation of cortical connections measured by EEG coherence in humans B. Shen, M. Nadkarni, R.A. Zappulla (USA)	115
Cortical potentials preceding voluntary finger movement in patients with focal cerebellar lesion J.-i. Kitamura, H. Shabasaki, A. Terashi, K. Tashima (Japan)	126
Intracortical recordings of early pain-related CO ₂ -laser evoked potentials in the human second somatosensory (SII) area M. Frot, L. Rambaud, M. Guénot, F. Mauguière (France)	133
Parallel processing of sensory inputs: an evoked potentials study in Parkinsonian patients implanted with thalamic stimulators A. Insola, S. Rossi, P. Mazzone, P. Pasqualetti (Italy)	146
Facilitation of rhythmic events in progressive myoclonus epilepsy: a transcranial magnetic stimulation study F. Valzania, A.P. Strafella, A. Tropeani, G. Rubboli, S.A. Nassetti, C.A. Tassinari (Italy)	152
Peak gamma latency correlated with reaction time in a conventional oddball paradigm A.R. Haig, V. De Pascalis, E. Gordon (Italy, Australia)	158
Intracellular contribution to extracellularly recorded waveforms: the 'membrane rent' hypothesis D. Dumitru, J.C. King, W.E. Rogers, D.F. Stegeman (USA, The Netherlands)	166
Frequency domain EEG source localization of ictal epileptiform activity in patients with partial complex epilepsy of temporal lobe origin G. Lantz, C.M. Michel, M. Seeck, O. Blanke, T. Landis, I. Rosén (Sweden, Switzerland)	176
Somatosensory evoked high-frequency oscillation in Parkinson's disease and myoclonus epilepsy H. Mochizuki, Y. Ugawa, K. Machii, Y. Terao, R. Hanajima, T. Furubayashi, H. Uesugi, I. Kanazawa (Japan)	185
Visual motion direction evoked potentials are direction specifically influenced by concurrent vestibular stimulation R. Loose, T. Ayan, Th. Probst (Germany)	192
Etiology, neurologic correlations, and prognosis in alpha coma P.W. Kaplan, D. Genoud, T.W. Ho, P. Jallon (USA, Switzerland)	205
Comparison of MEG and EEG on the basis of somatic evoked responses elicited by stimulation of the snout in the juvenile swine Y. Okada, A. Lähteenmäki, C. Xu (USA)	214
Experimental analysis of distortion of magnetoencephalography signals by the skull Y.C. Okada, A. Lähteenmäki, C. Xu (USA)	230
Automatic detection of epileptic form activity by single-level wavelet analysis F. Sartoretto, M. Ermani (Italy)	239
Event-related desynchronization related to the anticipation of a stimulus providing knowledge of results M.C.M. Bastiaansen, K.B.E. Böcker, P.J.M. Cluitmans, C.H.M. Brunia (The Netherlands)	250
Spatial mislocalization of EEG electrodes, effects on accuracy of dipole estimation D. Khosla, M. Don, B. Kwong (USA)	261
The effects of a 20 min nap in the mid-afternoon on mood, performance and EEG activity M. Hayashi, M. Watanabe, T. Hori (Japan)	272
Prevalence of benign epileptiform variants observed in an EEG laboratory from South India K. Radhakrishnan, B. Santoshkumar, A. Venugopal (India)	280
Carotid endarterectomy monitoring: patterns of spectral EEG changes due to carotid artery clamping G.H. Visser, G.H. Wieneke, A.C. van Huffelen (The Netherlands)	286
Effects of visual and auditory stimulation on somatosensory evoked magnetic fields K. Lam, R. Kakigi, Y. Kaneoke, D. Naka, K. Maeda, H. Suzuki (Japan)	295
Abnormally large evoked potentials arising from dorsal column fibers in the region of chronically compressed spinal cord Y. Hoshino, T. Kurokawa, T. Hongo, S. Sasaki (Japan)	305
Stability of the mismatch negativity under different stimulus and attention conditions N. Kathmann, T. Frodl-Bauch, U. Hegerl (Germany)	317
Brain dysfunction in neonates with cleft palate revealed by the mismatch negativity M. Cheour, R. Čeponiene, J. Hukki, M.-L. Haapanen, R. Näätänen, K. Alho (Finland)	324
Attention-sensitive visual event-related potentials elicited by kinetic forms J. Wang, Y. Jin, F. Xiao, S. Fan, L. Chen (People's Republic of China)	329

ERP correlates of error processing in spatial S-R compatibility tasks H. Leuthold, W. Sommer (Germany)	342
Sympathetic skin response asymmetry in early stage idiopathic Parkinson's disease S. Fusina, S. Conte, L. Bertolasi, E. Fincati, E. Nardelli, L.G. Bongiovanni (Italy)	358
Near ultraviolet radiation elicits visual evoked potentials in children G.C. Brainard, S. Beacham, B.E. Sanford, J.P. Hanifin, L. Streletz, D. Sliney (USA)	379
Magnetic fields produced by single motor units in human skeletal muscles T. Masuda, H. Endo, T. Takeda (Japan)	384
Vector analysis of visual evoked potentials elicited by pattern reversal and photic stimuli P. Coutin-Churchman, L. Charroo, A. Balmaseda, R. Santiesteban (Cuba, Venezuela)	390
Movement-related cortical potentials associated with voluntary relaxation of foot muscles K. Terada, A. Ikeda, S. Yazawa, T. Nagamine, H. Shibasaki (Japan)	397
Spike detection II: automatic, perception-based detection and clustering S.B. Wilson, C.A. Turner, R.G. Emerson, M.L. Scheuer (USA)	404
Somatic innervation of the human bulbocavernosus muscle C.C. Yang, W.E. Bradley (USA)	412
Transient epileptic foci associated with intracranial hemorrhage in patients with subdural and epidural electrode placement R. Wennberg, D. Gross, F. Quesney, R. Gross, A. Olivier, A. Lozano (Canada)	419
Anticipation and execution of a simple reading task enhance corticospinal excitability M. Seyal, B. Mull, N. Bhullar, T. Ahmad, B. Gage (USA)	424
Are there discrete distal-proximal representations of the index finger and palm in the human somatosensory cortex? A neuromagnetic study I. Hashimoto, T. Mashiko, T. Kimura, T. Imada (Japan)	430
The significance of excessive rhythmic alpha and/or theta frequency activity in the EEG of the neonate R.A. Hrachovy, D.M. O'Donnell (USA)	438
Transcranial magnetic stimulation of the central and peripheral motor pathways to the lingual muscles in cats M. Kobayashi, T. Ohira, M. Ochiai, B. Mihara, T. Kawase (Japan)	445
Task modulation of brain activity related to familiar and unfamiliar face processing: an ERP study B. Rossion, S. Campanella, C.M. Gomez, A. Delinte, D. Debatisse, L. Liard, S. Dubois, R. Bruyer, M. Crommelinck, J.-M. Guerit (Belgium, Spain)	449
Auditory and visual P300 topography from a 3 stimulus paradigm J.-i. Katayama, J. Polich (Japan, USA)	463
EEG coherence II: experimental comparisons of multiple measures P.L. Nunez, R.B. Silberstein, Z. Shi, M.R. Carpenter, R. Srinivasan, D.M. Tucker, S.M. Doran, P.J. Cadusch, R.S. Wijesinghe (USA, Australia)	469
Physiological studies of the corticomotor projection to the hand after subcortical stroke M.L. Byrnes, G.W. Thickbroom, B.A. Phillips, S.A. Wilson, F.L. Mastaglia (Australia)	487
Effect of stimulation of an upper limb on motor evoked potentials in lower limb muscles to transcranial magnetic stimulation in normal subjects and patients with thalamic infarction J-T. Chen, C-C. Chen, K-P. Kao, Z-A. Wu, K-K. Liao (Taiwan)	499
Abnormal contingent negative variation in writer's cramp T. Hamano, R. Kaji, M. Katayama, T. Kubori, A. Ikeda, H. Shibasaki, J. Kimura (Japan)	508
Cerebral correlates of hemispheric lateralization during a pitch discrimination task: an ERP study in dichotic situation N. Wioland, G. Rudolf, M.N. Metz-Lutz, V. Mutschler, C. Marescaux (France)	516
Increased gamma-range activity in human sensorimotor cortex during performance of visuomotor tasks F. Aoki, E.E. Fetz, L. Shupe, E. Lettich, G.A. Ojemann (USA)	524
Distributed source imaging of alpha activity using a maximum entropy principle P. Patel, D. Khosla, L. Al-Dayeh, M. Singh (USA)	538
On the focal nature of inhibition and facilitation in the human motor cortex P. Ashby, C. Reynolds, R. Wennberg, A.M. Lozano, J. Rothwell (Canada, UK)	550
Automatic detection of cyclic alternating pattern (CAP) sequences in sleep: preliminary results A.C. Rosa, L. Parrino, M.G. Terzano (Italy)	585
Spectral properties of EEG fast activity ictal discharges associated with infantile spasms F. Panzica, S. Franceschetti, S. Binelli, L. Canafoglia, T. Granata, G. Avanzini (Italy)	593
Common spatial subspace decomposition applied to analysis of brain responses under multiple task conditions: a simulation study Y. Wang, P. Berg, M. Scherg (Germany, People's Republic of China)	604
EEG power changes are related to regional cerebral glucose metabolism in vascular dementia B. Szeliés, R. Mielke, J. Kessler, W.-D. Heiss (Germany)	615
EEG power spectrum differences in early and late onset forms of Alzheimer's disease E. Pucci, N. Belardinelli, G. Cacchiò, M. Signorino, F. Angeleri (Italy)	621

Alpha activity in the human REM sleep EEG: topography and effect of REM sleep deprivation C. Roth, P. Achermann, A.A. Borbély (Switzerland)	632
Gamma responses and ERPs in a visual classification task C.S. Herrmann, A. Mecklinger, E. Pfeifer (Germany)	636
Functions and sources of event-related EEG alpha oscillations studied with the Wavelet Transform R. Quian Quiroga, M. Schürmann (Germany)	643
EEG and long-term outcome of term infants with neonatal hypoxic-ischemic encephalopathy D.B. Sinclair, M. Campbell, P. Byrne, W. Prasertsom, C.M.T. Robertson (Canada)	655
A ring-shaped distribution of dipoles as a source model of induced gamma-band activity C. Tallon-Baudry, O. Bertrand, J. Pernier (France)	660
Towards an objectification and classification of tinnitus A. Norena, H. Cransac, S. Chéry-Croze (France)	666
Face-selective spectral changes in the human fusiform gyrus J. Klopp, E. Halgren, K. Marinovic, V. Nenov (USA, France)	676
Negative potential shifts and the prediction of the outcome of neurofeedback therapy in epilepsy B. Kotchoubey, U. Strehl, S. Holzapfel, V. Blankenhorn, W. Fröscher, N. Birbaumer (Germany, Italy)	683
Hippocampal sleep spindles revisited: physiologic or epileptic activity? B.A. Malow, P.R. Carney, R. Kushwaha, R.J. Bowes (USA)	687
Minimal and asymptomatic chronic inflammatory demyelinating polyneuropathy A. Uncini, A. Di Muzio, M.V. De Angelis, S. Gioia, A. Lugesesi (Italy)	694
Localization of the motor hand area using transcranial magnetic stimulation and functional magnetic resonance imaging B. Boroojerdi, H. Foltys, T. Krings, U. Spetzger, A. Thron, R. Töpper (Germany)	699
Chronic inflammatory demyelinating polyneuropathy in diabetics: motor conduction is important in the differential diagnosis with diabetic polyneuropathy A. Uncini, M.V. De Angelis, A. Di Muzio, C. Callegarini, G. Ciucci, G. Antonini, A. Lugesesi, D. Gambi (Italy)	705
Changes in motor evoked potentials to short-interval paired transcranial magnetic stimuli in multiple sclerosis K-H. Ho, M. Lee, K. Nithi, J. Palace, K. Mills (UK)	712
Spatial facilitation of motor evoked responses in monitoring during spinal surgery G. Andersson, A. Ohlin (Sweden)	720
Reliability of surface electromyographic measurements J. Kollmitzer, G.R. Ebenbichler, A. Kopf (Austria)	725
F-chronodispersion in patients on thalidomide D.R. Sadoh, J.L.M. Hawk, C.P. Panayiotopoulos (UK)	735
Assessment of temporal dispersion in motor nerves with normal conduction velocity W.J. Schulte-Mattler, M. Jakob, S. Zierz (Germany)	740
Demyelination and axonal degeneration in corpus callosum assessed by analysis of transcallosally mediated inhibition in multiple sclerosis J. Höpner, E. Kunesch, J. Buchmann, A. Hess, A. Großmann, R. Benecke (Germany)	748
Kinematics invariance in multi-directional complex movements in free space: effect of changing initial direction G. Cheron, J.P. Draye, A. Bengoetxea, B. Dan (Belgium)	757
Waveform variation and size of sympathetic skin response: regional difference between the sole and palm recordings M. Toyokura (Japan)	765
Designing optimal spatial filters for single-trial EEG classification in a movement task J. Müller-Gerking, G. Pfurtscheller, H. Flyvbjerg (Germany, Austria, Denmark)	787
Mental representations of movements. Brain potentials associated with imagination of eye movements P. Höllinger, R. Beisteiner, W. Lang, G. Lindinger, A. Berthoz (Switzerland, Austria, France)	799
Reorganization of cortical motor area in prior polio patients M. Oliveri, F. Brighina, V. La Bua, D. Buffa, A. Aloisio, B. Fierro (Italy)	806
N400 and lexical decisions: automatic or controlled processing? J. Silva-Pereyra, T. Harmony, G. Villanueva, T. Fernández, M. Rodríguez, L. Galán, L. Díaz-Comas, J. Bernal, A. Fernández-Bouzas, E. Marosi, A. Reyes (Mexico, Cuba)	813
The diagnostic value of electroencephalography in mild senile Alzheimer's disease J.J. Claus, R.L.M. Strijers, E.J. Jonkman, B.W. Ongerboer de Visser, C. Jonker, G.J.M. Walstra, Ph. Scheltens, W.A. van Gool (The Netherlands)	825
Age-related changes in the brain electrical correlates of response control A.J. Fallgatter, Th.J. Mueller, W.K. Strik (Germany, Switzerland)	833
Modulation of sleep interictal epileptiform discharges in partial epilepsy of childhood L. Nobili, M.G. Baglietto, M. Beelke, F. De Carli, E. De Negri, G. Rosadini, M. De Negri, F. Ferrillo (Italy)	839
Interictal spike localization using a standard realistic head model: simulations and analysis of clinical data C. Silva, R. Almeida, T. Oostendorp, E. Ducla-Soares, J.P. Foreid, T. Pimentel (Portugal, The Netherlands)	846

Deconvolution of 40 Hz steady-state fields reveals two overlapping source activities of the human auditory cortex A. Gutschalk, R. Mase, R. Roth, N. Ille, A. Rupp, S. Hähnel, T.W. Picton, M. Scherg (Germany, Japan, Canada)	856
Regional differences in the dynamics of the cortical EEG in the rat after sleep deprivation B. Schwierin, P. Achermann, T. Deboer, A. Oleksenko, A.A. Borbély, I. Tobler (Switzerland)	869
Losses of hemifield contrast sensitivity in patients with pituitary adenoma and normal visual acuity and visual field V. Porciatti, P. Ciavarella, M.R. Ghiggi, V. D'Angelo, S. Padovano, M. Grifa, G. Moretti (Italy)	876
Multifold features determine linear equation for automatic spike detection applying neural network interictal ECoG G. Hellmann (Germany)	887
Comparison of sphenoidal, foramen ovale and anterior temporal placements for detecting interictal epileptiform discharges in presurgical assessment for temporal lobe epilepsy J.L. Fernández Torre, G. Alarcón, C.D. Binnie, C.E. Polkey (UK, Spain)	895
Somatosensory evoked fields to large-area vibrotactile stimuli V. Jousmäki, R. Hari (Finland)	905
ERP evidence of developmental changes in processing of faces M.J. Taylor, G. McCarthy, E. Saliba, E. Degiovanni (France, USA)	910
Somatosensory evoked magnetic fields from the primary somatosensory cortex (SI) in acute stroke H. Wikström, R.O. Roine, O. Salonen, K. Buch Lund, E. Salli, R.J. Ilmoniemi, Hannu J. Aronen, J. Huttunen (Finland)	916
Effects of intensity and order of stimuli presentation on AEPs: an analysis of the consistency of EP augmenting/reducing in the auditory modality M.T. Carrillo-de-la-Peña (Spain)	924
The influence of temperature on nerve conduction in patients with chronic axonal polyneuropathy H. Franssen, N.C. Notermans, G.H. Wieneke (The Netherlands)	933
A model of the effect of MEP amplitude variation on the accuracy of TMS mapping G.W. Thickbroom, M.L. Byrnes, F.L. Mastaglia (Australia)	941
Electromyographic evidence for functional heterogeneity in the inferior head of the human lateral pterygoid muscle: a preliminary multi-unit study G.M. Murray, I. Phanachet, I.J. Klineberg (Australia)	944
Soleus long-latency stretch reflexes during walking in healthy and spastic humans T. Sinkjær, J.B. Andersen, J.F. Nielsen, H.J. Hansen (Denmark)	951
Electromechanical coupling and synchronous firing of single wrist extensor motor units in sporadic amyotrophic lateral sclerosis A. Schmied, J. Pouget, J-P. Vedel (France)	960
Motor neuron disease: usefulness of transcranial magnetic stimulation in improving the diagnosis G. Miscio, F. Pisano, G. Mora, L. Mazzini (Italy)	975
EEG alpha rhythm in infants T.A. Stroganova, E.V. Orekhova, I.N. Posikera (Russia)	997
Reliability of dipole models of epileptic spikes I. Merlet, J. Gotman (Canada)	1013
Generalized absence seizures with 10–15 Hz fast discharges T. Fakhoury, B. Abou-Khalil (USA)	1029
Asynchronous pentobarbital-induced burst suppression with corpus callosum hemorrhage L.M. Lazar, L.M. Milrod, G.E. Solomon, D.R. Labar (USA)	1036
Visual P300 latency predicts treatment response to modafinil in patients with narcolepsy R.B. Sangal, J.A.M. Sangal, C. Belisle (USA)	1041
Parvocellular and magnocellular visual processing in spinocerebellar degeneration and Parkinson's disease: an event-related potential study K. Arakawa, S. Tobimatsu, M. Kato, J-i. Kira (Japan)	1048
Motoric response inhibition in finger movement and saccadic eye movement: a comparative study D. Van 't Ent, P. Apkarian (The Netherlands)	1058
Localization and characterization of speech arrest during transcranial magnetic stimulation C.M. Epstein, K.J. Meador, D.W. Loring, R.J. Wright, J.D. Weissman, S. Sheppard, J.J. Lah, F. Puhlovich, L. Gaitan, K.R. Davey (USA)	1073
Dissociation of somatosensory and motor evoked potentials in non-comatose patients after head injury A.V. Chistyakov, H. Hafner, J.F. Soustiel, M. Trubnik, G. Levy, M. Feinsod (Israel)	1080
Trigeminal sensory input elicited by electric or magnetic stimulation interferes with the central motor drive to the intrinsic hand muscles H. Roman Siebner, C. Auer, R. Roeck, B. Conrad (Germany)	1090
The excitation site of the accessory nerve to the magnetic stimulation – the relationship between the orientation of the magnetic field and the excitation site A. Kojima, T. Ohira, M. Kobayashi, M. Ochiai, T. Kawase (Japan)	1100
Intracortical inhibition after paired transcranial magnetic stimulation depends on the current flow direction C. Trompetto, A. Assini, A. Buccolieri, R. Marchese, G. Abbruzzese (Italy)	1106

Are motoneurons involved in muscular dystrophy?	
M. Piotrkiewicz, I. Hausmanowa-Petrusewicz, J. Mierzejewska (Poland)	1111
An electrophysiological study of the corticospinal projections in amyotrophic lateral sclerosis	
N. Kohara, R. Kaji, Y. Kojima, J. Kimura (Japan)	1123
Decrease of non-linear structure in the EEG of Alzheimer patients compared to healthy controls	
B. Jelles, J.H. van Birgelen, J.P.J. Slaets, R.E.M. Hekster, E.J. Jonkman, C.J. Stam (The Netherlands)	1159
The influence of sex, age and sleep/wake state on characteristics of periodic leg movements in restless legs syndrome patients	
A. Nicolas, M. Michaud, G. Lavigne, J. Montplaisir (France, Canada)	1168
Slow EEG potentials (contingent negative variation and post-imperative negative variation) in schizophrenia: their association to the present state and to Parkinsonian medication effects	
R. Verleger, E. Wascher, V. Arolt, C. Daase, A. Strohm, D. Kömpf (Germany)	1175
Cortical activation, signal-to-noise ratio and stochastic resonance during information processing in man	
G. Winterer, M. Ziller, H. Dorn, K. Frick, C. Mulert, N. Dahhan, W.M. Herrmann, R. Coppola (Germany, USA)	1193
Orienting response and frontal midline theta activity: a somatosensory spectral perturbation study	
T. Dietl, G. Dirlich, L. Vogl, C. Lechner, F. Strian (Germany)	1204
Intracranial ERPs in humans during a lateralized visual oddball task: I. occipital and peri-Rolandic recordings	
J.M. Clarke, E. Halgren, P. Chauvel (USA, France)	1210
Intracranial ERPs in humans during a lateralized visual oddball task: II. Temporal, parietal, and frontal recordings	
J.M. Clarke, E. Halgren, P. Chauvel (USA, France)	1226
EEG and clinical predictors of medically intractable childhood epilepsy	
T.-S. Ko, G.L. Holmes (USA)	1245
Can attention be directed to opposite locations in different modalities? An ERP study	
M. Eimer (UK)	1252
ERPs obtained with the auditory oddball paradigm in coma and altered states of consciousness: clinical relationships, prognostic value, and origin of components	
J.-M. Guérit, D. Verougstraete, M. de Tourtchaninoff, D. Debatisse, C. Witdoeck (Belgium)	1260
The relationship of motor unit size, firing rate and force	
R.A. Conwit, D. Stashuk, B. Tracy, M. McHugh, W.F. Brown, E.J. Metter (USA)	1270
Multifocal neural conduction impairment in forestry workers exposed and not exposed to vibration	
F. Giannini, S. Rossi, S. Passero, M. Bovenzi, G. Cannavà, R. Mancini, R. Cioni, N. Battistini (Italy)	1276
Electrophysiological study of neuromuscular system involvement in mitochondrial cytopathy	
P. Giralda, A. Toscano, C. Nicolosi, S. Sinicropi, G. Picciolo, V. Macaione, A. Quartarone, C. Messina (Italy)	1284
Relation between perceived stimulus intensity and exteroceptive reflex responses in the human masseter muscles	
P.O. Hansen, P. Svensson, L. Arendt-Nielsen, T.S. Jensen (Denmark)	1290
The diagnostic value of motor evoked potentials	
V. Di Lazzaro, A. Oliviero, P. Profice, L. Ferrara, E. Saturno, F. Pilato, P. Tonali (Italy)	1297
The effect of muscle-tone-reducing procedures in athetotic head movements: partial nerve block by lidocaine and surgical release of the neck muscles	
K. Saiki, N. Tsuzuki, R. Tanaka (Japan)	1308
Input-output organization of the foot motor area in humans	
K. Machii, Y. Ugawa, Y. Terao, R. Hanajima, T. Furubayashi, H. Mochizuki, Y. Shiio, H. Enomoto, H. Uesugi, S. Kuzuhara, I. Kanazawa (Japan)	1315
The role of the coil click in TMS assessed with simultaneous EEG	
V. Nikouline, J. Ruohonen, R.J. Ilmoniemi (Finland)	1325
A method for generating natural-sounding speech stimuli for cognitive brain research	
P. Alku, H. Tiitinen, R. Näätänen (Finland)	1329
Spectral versus visual EEG analysis in mild hepatic encephalopathy	
P. Amodio, P. Marchetti, F. Del Piccolo, M. de Tourtchaninoff, P. Varghese, C. Zuliani, G. Campo, A. Gatta, J.M. Guérit (Italy, Belgium)	1334
P300 to high intensity stimuli during REM sleep	
K.A. Cote, K.B. Campbell (Canada)	1345
Spatial structure of the human alpha rhythm: global correlation in adults and local correlation in children	
R. Srinivasan (USA)	1351
Early neurological and neurophysiological development of the preterm infant and polyunsaturated fatty acids supply	
D. Bouglé, P. Denise, F. Vimard, A. Nouvelot, M.-J. Penniello, B. Guillois (France)	1363
Cortical activation related to auditory semantic matching of concrete versus abstract words	
C.M. Krause, T. Aström, M. Karrasch, M. Laine, L. Sillanmak (Finland)	1371
Early occipito-parietal activity in a word recognition task: an EEG and MEG study	
P. Walla, W. Endl, G. Lindinger, W. Lalouschek, L. Deecke, W. Lang (Austria)	1378
Test-retest reliability of mismatch negativity for duration, frequency and intensity changes	
M. Tervaniemi, A. Lehtokoski, J. Sinkkonen, J. Virtanen, R.J. Ilmoniemi, R. Näätänen (Finland)	1388

Shortening of the cortical silent period following transcranial magnetic brain stimulation during an experimental paradigm for generating contingent negative variation (CNV) M. Hoshiyama, R. Kakigi (Japan)	1394
Life-span changes in EEG spectral amplitude, amplitude variability and mean frequency R.E. Dustman, D.E. Shearer, R.Y. Emmerson (USA)	1399
Instantaneous EEG coherence analysis during the Stroop task B. Schack, A.C.N. Chen, S. Mescha, H. Witte (Germany, Denmark)	1410
The technical, neurological and psychological significance of 'alpha', 'delta' and 'theta' waves confounded in EEG evoked potentials: a study of peak latencies D.L. Robinson (Kuwait)	1427
The electrical and magnetical cerebral responses evoked by electrical stimulation of the esophagus and the location of their cerebral sources M. Hecht, H. Kober, D. Claus, M. Hilz, J. Vieth, B. Neundörfer (Germany)	1435
Reciprocal modulation of somatosensory evoked N20m primary response and high-frequency oscillations by interference stimulation I. Hashimoto, T. Kimura, T. Fukushima, Y. Iguchi, Y. Saito, O. Terasaki, K. Sakuma (Japan)	1445
The value of combined ambulatory cassette-EEG and video monitoring in the differential diagnosis of intractable seizures B. Shihabuddin, B. Abou-Khalil, T. Fakhoury (USA)	1452
Distribution of brainstem somatosensory evoked potentials following upper and lower limb stimulation K. Hisada, T. Morioka, T. Katsuta, S. Nishio, M. Muraishi, M. Fukui (Japan)	1458
Median and ulnar palm-wrist studies H.W. Sander, C. Quinto, P.B. Saadeh, S. Chokroverty (USA)	1462
Macro-EMG in mitochondriopathy J. Finsterer, A. Fuglsang-Frederiksen (Austria, Denmark)	1466
Exclusive electrophysiological motor involvement in carpal tunnel syndrome M. Repaci, F. Torrieri, F. Di Blasio, A. Uncini (Italy)	1471
Inhibition of the human primary motor area by painful heat stimulation of the skin M. Valeriani, D. Restuccia, V. Di Lazzaro, A. Oliviero, P. Profice, D. Le Pera, E. Saturno, P. Tonali (Italy)	1475
Reproducibility of tendon jerk reflexes during a voluntary contraction H. Uysal, I. Mogyoros, D. Burke (Australia)	1481
Vigilance transitions in reaction time test: a method of describing the state of alertness more objectively R. Conradt, U. Brandenburg, T. Penzel, J. Hasan, A. Värri, J.H. Peter (Germany, Finland)	1499
Constantly discontinuous EEG patterns in full-term neonates with hypoxic-ischaemic encephalopathy E. Biagioni, L. Bartalena, A. Boldrini, R. Pieri, G. Cioni (Italy)	1510
The periodicity of lateralized epileptiform discharges D.W. Gross, S. Wiebe, W.T. Blume (Canada)	1516
Cortical reflex myoclonus studied with cortical electrodes P. Ashby, R. Chen, R. Wennberg, A.M. Lozano, A.E. Lang (Canada)	1521
Repeated nocturnal sleep latencies in narcoleptic, sleepy and alert subjects K. Nykamp, L. Rosenthal, T. Helmus, R. Gerhardstein, R. Day, T. Roehrs, M.L. Syron, T. Roth (USA)	1531
Origin and propagation of spontaneous electrographic sharp waves in the in vitro turtle brain: a model of neuronal synchronization D. Lorenzo, O. Macadar, J.C. Velluti (Uruguay)	1535
Development of a silicon retinal implant: cortical evoked potentials following focal stimulation of the rabbit retina with light and electricity M. Narayanan Nadig (USA)	1545
The fundamental and second harmonic of the photopic flicker electroretinogram: temporal frequency-dependent abnormalities in retinitis pigmentosa B. Falsini, G. Iarossi, A. Fadda, G. Porrello, P. Valentini, M. Piccardi, L. Scullica (Italy)	1554
Individuals with Down's syndrome demonstrate abnormal olfactory event-related potentials S. Wetter, C. Murphy (USA)	1563
Event-related brain potentials as indicators of smoking cue-reactivity C.A. Warren, B.E. McDonough (USA)	1570
Neural source estimation from a time-frequency component of somatic evoked high-frequency magnetic oscillations to posterior tibial nerve stimulation K. Sakuma, K. Sekihara, I. Hashimoto (Japan)	1585
N30 and the effect of explorative finger movements: a model of the contribution of the motor cortex to early somatosensory potentials T.D. Waberski, H. Buchner, M. Perkuhn, R. Gobbelé, M. Wagner, W. Kücker, J. Silny (Germany)	1589
Mismatch negativity and late auditory evoked potentials in comatose patients C. Fischer, D. Morlet, P. Bouchet, J. Luaute, C. Jourdan, F. Salord (France)	1601

The relation between asymmetry and amplitude of the P300 field in schizophrenia H. Hill, M. Weisbrod (Germany)	1611
Strength-duration properties and their voltage dependence at different sites along the median nerve I. Mogyoros, C. Lin, S. Dowla, J. Grosskreutz, D. Burke (Australia)	1618
Satellite potentials of motor unit action potentials in normal muscles: a new hypothesis for their origin Z.C. Lateva, K.C. McGill (USA)	1625
Patterned electromyographic activity in the sit-to-stand movement F. Rodrigues-de-Paula Goulart, J. Valls-Solé (Spain)	1634
Motor-evoked potentials: unusual findings Y. Ugawa, I. Kanazawa (Japan)	1641
Topographical differences in the developmental profile of central motor conduction time A. Nezu, S. Kimura, S. Takeshita (Japan)	1646
Long-term botulinum toxin treatment of cervical dystonia – EMG changes in injected and noninjected muscles J. Erdal, L. Østergaard, A. Fuglsang-Frederiksen, L. Werdelin, T. Dalager, O. Sjö, L. Regeur (Denmark)	1650
The effect of deep brain stimulation on the frontal N30 component of somatosensory evoked potentials in advanced Parkinson's disease patients M. Pierantozzi, P. Mazzone, A. Bassi, P.M. Rossini, A. Peppe, M.G. Altibrandi, A. Stefani, P. Stanzione (Italy)	1700
Long-term intra-individual variability of the background EEG in normals A. Kondacs, M. Szabó (Hungary)	1708
Measuring the coherence of intracranial electroencephalograms H.P. Zaveri, W.J. Williams, J.C. Sackellares, A. Beydoun, R.B. Duckrow, S.S. Spencer (USA)	1717
Non-linear analysis of intracranial human EEG in temporal lobe epilepsy M.J. van der Heyden, D.N. Velis, B.P.T. Hoekstra, J.P.M. Pijn, W. van Emde Boas, C.W.M. van Veelen, P.C. van Rijen, F.H. Lopes da Silva, J. DeGoede (The Netherlands)	1726
Seizures of temporal lobe epilepsy: identification of subtypes by coherence analysis using stereo-electro-encephalography F. Bartolomei, F. Wendling, J.-P. Vignal, S. Kochen, J.-J. Bellanger, J.-M. Badier, R. Le Bouquin-Jeannes, P. Chauvel (France, Argentina)	1741
Isolation of epileptiform discharges from unaveraged EEG by independent component analysis K. Kobayashi, C.J. James, T. Nakahori, T. Akiyama, J. Gotman (Japan, Canada)	1755
EEG correlates of finger movements with different inertial load conditions as revealed by averaging techniques S. Slobounov, R. Tutwiler, M. Rearick, J.H. Challis (USA)	1764
Side-to-side correlation of muscle activity in physiological and pathological human tremors M. Laak, B. Köster, J. Timmer, B. Guschlbauer, G. Deuschl, C.H. Lücking (Germany, USA)	1774
Event-related alpha oscillations in task processing V. Kolev, J. Yordanova, M. Schürmann, E. Başar (Bulgaria, Germany, Turkey)	1784
Using multi-stimulus VEP source localization to obtain a retinotopic map of human primary visual cortex S.D. Slotnick, S.A. Klein, T. Carney, E. Sutter, S. Dastmalchi (USA)	1793
Roles of a potassium afterhyperpolarization current in generating neuromagnetic fields and field potentials in longitudinal CA3 slices of the guinea-pig J. Wu, Y.C. Okada (USA)	1858
Decomposition and mapping of generalized spike-wave complexes E. Rodin (USA)	1868
Determinants of motor unit action potential duration D. Dumitru, J.C. King, M.J. Zwarts (USA, The Netherlands)	1876
Corticomotor excitability and perception of effort during sustained exercise in the chronic fatigue syndrome P. Sacco, P.A.J. Hope, G.W. Thickbroom, M.L. Byrnes, F.L. Mastaglia (Australia)	1883
Electroencephalographic analysis of cortico-muscular coherence: reference effect, volume conduction and generator mechanism T. Mima, M. Hallett (USA)	1892
Comparison between concentric needle EMG and macro EMG in patients with a history of polio A. Sandberg, B. Hansson, E. Stålberg (Sweden)	1900
Comparison of different modalities for detection of small fiber neuropathy K. Tobin, M.J. Giuliani, D. Lacomis (USA)	1909
Processing of affective pictures modulates right-hemispheric gamma band EEG activity M.M. Müller, A. Keil, T. Gruber, T. Elbert (Germany)	1913
Cortical auditory dysfunction in children with oral clefts: relation with cleft type R. Čeponienė, J. Hukki, M. Cheour, M.-L. Haapanen, R. Ranta, R. Näätänen (Finland, USA)	1921
Auditory associative cortex dysfunction in children with autism: evidence from late auditory evoked potentials (N1 wave-T complex) N. Bruneau, S. Roux, J.L. Adrien, C. Barthélémy (France)	1927
The prognostic value of intraoperative BAEP patterns in acoustic neurinoma surgery M. Neu, C. Strauss, J. Romstöck, B. Bischoff, R. Fahlbusch (Germany)	1935

Impaired preconscious auditory processing and cognitive functions in Alzheimer's disease E. Pekkonen, I.P. Jääskeläinen, M. Hietanen, M. Huottilainen, R. Näätänen, R.J. Ilmoniemi, T. Erkinjuntti (Finland)	1942
Comparison of somatosensory evoked high-frequency oscillations after posterior tibial and median nerve stimulation S. Nakano, I. Hashimoto (Japan)	1948
Steady-state vibration somatosensory evoked potentials: physiological characteristics and tuning function S. Tobimatsu, Y.M. Zhang, M. Kato (Japan)	1953
The effect of spatial frequency on chromatic and achromatic steady-state visual evoked potentials K. Arakawa, S. Tobimatsu, H. Tomoda, J.-i. Kira, M. Kato (Japan)	1959
Independent sleep EEG slow-wave and spindle band dynamics associated with 4 weeks of continuous application of short-half-life hypnotics in healthy subjects B. Feige, U. Voderholzer, D. Riemann, F. Hohagen, M. Berger (Germany)	1965
The RULER model. Is this how the somatosensory cortex works? A.J. McComas, C.M. Cupido (Canada)	1987
Bilateral centrotemporal spikes triggered by blinking: an unusual form of sensory input with related cortical EEG activity R. Vetrugno, S. Meletti, G. Plazzi, A. Posar, M. Santucci, P. Giovanardi Rossi, E. Lugaresi, R. Liguori (Italy)	1995
Long-latency reflexes in contracted hand and foot muscles and their relations to somatosensory evoked potentials and transcranial magnetic stimulation of the motor cortex K. Kurusu, J.-i. Kitamura (Japan)	2014
The phase of postural hand tremor is not influenced by repetitive photic brain stimulation M. Lakie, N. Combes (UK)	2020
Stance perturbation-evoked potentials in old people with poor gait and balance R.B. Duckrow, K. Abu-Hasaballah, R. Whipple, L. Wolfson (USA)	2026
The influence of experimental muscle pain on the human soleus stretch reflex during sitting and walking D.A. Matre, T. Sinkjær, S. Knardahl, J.B. Andersen, L. Arendt-Nielsen (Denmark, Norway)	2033
The H-reflex modulation in lying and a semi-reclining (sitting) position I.A. Al-Jawayed, M. Sabbahi, B.R. Etnyre, S. Hasson (USA)	2044
Detection of epileptiform discharges in the EEG by a hybrid system comprising mimetic, self-organized artificial neural network, and fuzzy logic stages C.J. James, R.D. Jones, P.J. Bones, G.J. Carroll (New Zealand)	2049
Event-related alpha synchronization/desynchronization in a memory-search task in adolescent survivors of childhood cancer P.M. Lähteenmäki, C.M. Krause, L. Sillanmäki, T.T. Salmi, A.H. Lang (Finland)	2064
Selective visual-spatial attention alters induced gamma band responses in the human EEG T. Gruber, M.M. Müller, A. Keil, T. Elbert (Germany)	2074
The N100 auditory cortical evoked potential indexes scanning of auditory short-term memory E.M. Conley, H.J. Michalewski, A. Starr (USA)	2086
Effects of aging on central conduction in somatosensory evoked potentials: evaluation of onset versus peak methods M. Tanosaki, I. Ozaki, H. Shimamura, M. Baba, M. Matsunaga (Japan)	2094
Innocuous-related sural nerve-evoked and finger-evoked potentials generated in the primary somatosensory supplementary motor cortices R. Dowman, S. Schell (USA)	2104
Evidence that the anterior cingulate and supplementary somatosensory cortices generate the pain-related negative difference potential R. Dowman, S. Schell (USA)	2117
Determining the appropriate stimulus intensity for studying the dipole moment in somatosensory evoked fields: a preliminary study T. Tsutada, N. Tsuyuguchi, H. Hattori, H. Shimada, M. Shimogawara, T. Kuramoto, Y. Haruta, Y. Matsuoka, A. Hakuba (Japan)	2127
Subjective sleepiness ratings (Epworth sleepiness scale) do not reflect the same parameter of sleepiness as objective sleepiness (maintenance of wakefulness test) in patients with narcolepsy R.B. Sangal, M.M. Mitler, J.M. Sangal (USA)	2131
High resolution study of sleep spindles J. Zygierevicz, K.J. Blinowska, P.J. Durka, W. Szelenberger, S. Niemcewicz, W. Androsiuk (Poland)	2136
Auditory arousal thresholds after selective slow-wave sleep deprivation M. Ferrara, L. De Gennaro, M. Casagrande, M. Bertini (Italy)	2148
A differential brain response to the subject's own name persists during sleep F. Perrin, L. García-Larrea, F. Mauguière, H. Bastuji (France)	2153
Quality control of polysomnographic sleep data by histogram and entropy analysis A. Schlögl, B. Kemp, T. Penzel, D. Kunz, S.-L. Himanen, A. Väri, G. Dorffner, G. Pfurtscheller (Austria, Netherlands, Germany, Finland)	2165
New methods of time series analysis of non-stationary EEG data: eigenstructure decompositions of time varying autoregressions A.D. Krystal, R. Prado, M. West (USA, Venezuela)	2197

Technical Reports

Normative ranges by curve fitting to raw data I. Yaar (USA)	556
Comparison of endogenous event-related potentials in attend and non-attend conditions: latency changes with normal aging N.K. Squires, C. Ollo (USA)	564
Separation of contamination caused by coil clicks from responses elicited by transcranial magnetic stimulation H. Tiitinen, J. Virtanen, R.J. Ilmoniemi, J. Kamppuri, M. Ollikainen, J. Ruohonen, R. Näätänen (Finland)	982
A new way of building a database of EEG findings H. Aurlien, I.O. Gjerde, N.E. Gilhus, O.G. Hovstad, B. Karlsen, H. Skeidsvoll (Norway)	986
Effects of the amplitude threshold on the separability of neuropathic and myopathic from normal EMG using parameters of the turns/ amplitude analysis J. Stempel, S. Vielhaber, H. Tschernitschek, H. Hinrichs, F. Awiszus, H. Feistner (Germany)	1139
Within patient variability of lower extremity muscle responses to transcranial electrical stimulation with pulse trains in aortic surgery E.P. van Dongen, H.T. ter Beek, M.A. Schepens, W.J. Morshuis, A. de Boer, L.P. Aarts, E.H. Boezeman (The Netherlands)	1144
The polar average reference effect: a bias in estimating the head surface integral in EEG recording M. Junghöfer, T. Elbert, D.M. Tucker, C. Braun (Germany, USA)	1149
Standardisation of anal sphincter EMG: high and low threshold motor units S. Podnar, D.B. Vodusek (Slovenia)	1488
Nerve conduction studies show no exclusive ulnar or median innervation of the ring finger V. Laroy, F. Spaans, J. Reulen (The Netherlands)	1492
Latency and amplitude variability in serial median nerve SEP recordings B.J. Connemann, J. Koehler, S. Presser, H.C. Hopf (Germany)	1663
Dynamics of the human alpha rhythm: evidence for non-linearity? C.J. Stam, J.P.M. Pijn, P. Suffczynski, F.H. Lopes da Silva (The Netherlands, Poland)	1801
Variation in diagnostic strategy of the EMG examination—a multicentre study A. Fuglsang-Frederiksen, B. Johnsen, M. de Carvalho, P.R.W. Fawcett, R. Liguori, W. Nix, I. Schofield, A. Vila (Denmark, Portugal, UK, Italy, Germany, France)	1814
Changes in long-latency reflexes onset latencies across full-wave rectified and non-rectified recordings F. Sartucci, L. Bonfiglio, F. Logi, A. Pellegrinetti, L. Murri (Italy)	1975
Identification of hemifield single trial PVEP on the basis of generalized dynamic neural network classifiers L. Leistritz, K. Hoffmann, M. Galicki, H. Witte (Germany)	1978
Influence of different types of surface electrodes on amplitude, area and duration of the compound muscle action potential D. Jonas, C. Bischoff, B. Conrad (Germany)	2171
An evaluation of dipole reconstruction accuracy with spherical and realistic head models in MEG A. Crouzeix, B. Yvert, O. Bertrand, J. Pernier (France)	2176
A modified electrode cap for EEG recordings in MRI scanners S.B. Baumann, D.C. Noll (USA)	2189

Technical Notes

Modulation of intracortical excitability for different muscles in the upper extremity: paired magnetic stimulation study with focal versus non-focal coils T. Shimizu, M.M. Filippi, M.G. Palmieri, M. Oliveri, F. Vernieri, P. Pasqualetti, P.M. Rossini (Italy, Japan)	575
Normative data for onset VEPs to red-green and blue-yellow chromatic contrast V. Porciatti, F. Sartucci (Italy)	772

Clinical Insights

Autism in tuberous sclerosis: evoked potential evidence for a deficit in auditory sensory processing S. Seri, A. Cerquiglini, F. Pisani, P. Curatolo (UK, Italy)	1825
EEG spectral profile to stage Alzheimer's disease G. Rodriguez, F. Copello, P. Vitali, G. Perego, F. Nobili (Italy)	1831

Short Communications

P300 and response time from a manual Stroop task A.B. Ilan, J. Polich (USA)	367
Tibial nerve somatosensory evoked potentials during EEG suppression in sevoflurane anaesthesia S. Rytty, A-M. Huotari, S. Alahuhta, R. Remes, K. Suominen, V. Jäntti (Finland)	1655
Stability of high-frequency (600 Hz) components in human somatosensory evoked potentials under variation of stimulus rate – evidence for a thalamic origin R. Gobbelé, H. Buchner, M. Scherg, G. Curio (Germany)	1659
Effects of test H-reflex size on reciprocal inhibition in forearm muscles Y. Okuma, K. Ohi, R.G. Lee, Y. Mizuno (Japan, Canada)	2194

Case Reports

- Interhemispheric interactions analyzed by coherence during flexor spasms
 H. Otsubo, M. Steinlin, A. Shirasawa, P.A. Hwang, R. Munn, V. Jay, H.J. Hoffman (Canada) 374
- Castleman's disease associated with chronic inflammatory demyelinating polyradiculoneuropathy: a clinical and electrophysiological follow-up study
 J.L. Fernández-Torre, J.M. Polo, J. Calleja, J. Berciano (Spain, UK) 1133

Letters to the Editor

- Comment on Kojima et al.
 A.E. Öge (Turkey) 1321
- Reply to Dr. Öge
 A. Kojima, T. Ohira, M. Takase, T. Kawase (Japan) 1321

Book Reviews

- The Clinical Practice of Critical Care Neurology
 by E.J.M. Wijdicks 200
- John Hughlings Jackson: Father of English Neurology
 M. Critchley, E.A. Critchley 782
- Waveguide: An EEG Atlas on CD-ROM
 M.W.L. Chee, Keith H. Chiappa 783
- Essentials of Clinical Neurophysiology
 K.E. Misulis 1156
- Electrocorticography: Current Trends and Future Perspectives. Brain Functions and Oscillations. I.
 L.F. Quesney, C.D. Binnie, C.E. Chatrian 1157
- Brain Oscillations. Principles and Approaches. II. Integrative Brain Function. Neurophysiology and Cognitive Processes
 by E. Basar 1669
- Goldensohn's EEG Interpretation: Problems of Over-Reading and Under-Reading
 E.S. Goldensohn, A.D. Legatt, S. Koszer, S.M. Wolf (USA) 2000

Errata

201, 785, 1323, 2207

Index of Authors to Volume 110

2209

Index of Subjects to Volume 110

2215

Table of Contents to Volume 110

2227

